

Filter content items (examples)

July 8, 2022 • Jan Cerman • 5 min read • cURL

When building your apps, you'll use the [Delivery REST API](#) or [Delivery GraphQL API](#) to [get content items](#). The Delivery APIs provide several filters to help you refine your requests based on your requirements.

If you select GraphQL as your tech stack above, you'll see sample GraphQL queries. These queries can be used in any app that supports GraphQL.


What do you know about the content you want to get? Find a relevant scenario below and adjust the code samples to get the content you need.

Item ID or codename

To get an item based on its identifier (like ID or codename), use the `equals` filter. For example, if you need to get an item by its internal ID, you match the item's ID (found in `system.id`) against the ID value you have.

cURL


```
1 # Gets an item by its internal ID
2 curl --request GET \
3   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?system.id=2f7288a1-cfc8-
4   47be-9bf1-b1d312f7da18' \
5   --header 'content-type: application/json'
```

 **Tip:** This approach works equally well for other `system` properties of the [content item object](#). For example, `system.workflow_step`, `system.collection`, `system.last_modified`.

If you have multiple identifiers of a single type (for example, only IDs or codenames) and want to retrieve them in a single request, use the `in` filter.

cURL

```
1 # Gets three items by their codenames. The codenames are unique per project.
2 curl --request GET \
3   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
4   system.codename[in]=delivery_api,get_content,hello_world' \
5   --header 'content-type: application/json'
```

 If you know the item's `codename`, we recommend you [retrieve the content item directly](#) for better performance.

Content types

To get items based on a single content type, specify the content type's codename (`system.type`) using the `equals` filter.

cURL

```
1 # Gets items based on the type Product
2 curl --request GET \
3   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?system.type=product' \
   --header 'content-type: application/json'
```

To get items based on multiple content types, specify the content types' codenames using the `in` filter.

cURL

```
1 # Gets items based on the types Product, Article, and News
2 curl --request GET \
3   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
   system.type[in]=product,article,news' \
4   --header 'content-type: application/json'
```


Date & time and numbers

To get items by a datetime value, you can use one of the comparison filters. This lets you retrieve content modified or released before or after a certain date. The following code shows the filters used on the last content modification date and a date & time element.

cURL

```
1 # Note: Date & time element values are provided by users and stored with minute
   precision. The system.last_modified value reflects Last content change to an item and is
   stored with ms precision.
   # Gets items modified after April 9 2020, 9 am UTC+0
2 curl --request GET \
3   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
4   system.last_modified[gt]=2020-05-09T09:00:00.000000Z' \
   --header 'content-type: application/json'
5
6 # Gets items released at or after April 9 2020, 7 am UTC+0
7 curl --request GET \
8   --url
9   'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?"elements.release_date[gte]=2020-05-
   09T07:00:00Z"' \
   --header 'content-type: application/json'
10
11 # Gets items modified before April 5 2020 UTC+0. Last match would be at 2020-05-
12 04T23:59:59.
   curl --request GET \
```

```
13 | --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
14 | system.last_modified[lt]=2020-05-05' \
    | --header 'content-type: application/json'
15 |
16 | # Gets items released at or before April 5 2020 10:30 am UTC+0
17 | curl --request GET \
18 | --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?elements.release_date",
19 | "2020-05-05T10:30:00Z' \
    | --header 'content-type: application/json'
```

 **Tip:** Use the same approach for number elements.

Range of dates and numbers

To get items based on a date range, you need to specify two datetime values using the `range` filter.

cURL

```
1 | # Note: Date & time element values are provided by users and stored with minute
  | precision. The system.last_modified value reflects Last content change to an item and is
  | stored with ms precision.
  | # Gets items modified between April 5, 2020 10:30 UTC and April 7, 2020, 7:00 UTC
2 | curl --request GET \
  | --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
3 | system.last_modified[range]=2020-05-05T10:30:00,2020-05-07T07:00:00' \
4 | --header 'content-type: application/json'
```

To get items based on a number range, you need to specify two numbers. The numbers can be either integers like `3` or floats like `3.14`.

cURL

```
1 | # Gets items whose rating is at least 6.5 and at most 9
2 | curl --request GET \
3 | --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
  | elements.product_rating[range]=6.5,9' \
4 | --header 'content-type: application/json'
```

Text and rich text

To get items based on the value of a text or rich text element, you need to specify the value using the `equals` filter.

The same approach also applies to custom elements.

cURL

```
1 | # Gets items whose Title element value equals to "Hello World"
2 | curl --request GET \
```

```

3 | --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?elements.title=Hello World'
  | \
4 | --header 'content-type: application/json'
```

Taxonomy and multiple choice

To get items tagged with specific taxonomy terms, you need to specify the terms using the `contains`, `any`, or `all` filters.

cURL

```

1 | # Note: Filters work with codenames of the tags.
2 | # Gets items tagged with one specific tag
3 | curl --request GET \
4 |   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
  | elements.tags[contains]=kontent_ai' \
5 |   --header 'content-type: application/json'
6 |
7 | # Gets items tagged with a list of specific tags
8 | curl --request GET \
9 |   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
  | elements.tags[all]=kontent_ai,cms' \
10 |  --header 'content-type: application/json'
11 |
12 | # Gets items tagged with at least one of multiple tags
13 | curl --request GET \
14 |   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
  | elements.tags[any]=headless,cms' \
15 |  --header 'content-type: application/json'
```

Also works for multiple choice and custom elements

Use the same approach to get items based on a specific value or values of multiple choice elements.

For custom elements, the `contains`, `any`, and `all` filters work only if the element's value is a stringified array of strings. For example, `"[\"DE\", \"US\", \"UK\"]"`.

URL slug

The URL slug element value is stored in the same way as text or rich text. This means the approach to getting items by a specific URL slug is the same, using the `equals` filter.

cURL

```

1 | # Gets items whose URL slug equals to sample-url-slug
2 | curl --request GET \
3 |   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?elements.url_slug=sample-
  | url-slug' \
4 |   --header 'content-type: application/json'
```

To ensure you [get content in a specific language](#), use the `language` parameter in your requests.

Author of an article and other relationships

When you [link multiple items together](#) you might want to retrieve your items based on their relationships.

For example, you can have several articles written by a single author, Jane. Each article has a linked items element named *Author*. This element contains a reference to a content item that represents the author Jane. The reference in the *Author* element is stored as a codename of the *Jane* content item.

cURL

```
1 # Gets items attributed to Jane.
2 curl --request GET \
3   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
   elements.author[contains]=jane_doe' \
4   --header 'content-type: application/json'
5
6 # Gets items attributed to at least Jane, John, or both.
7 curl --request GET \
8   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
   elements.author[any]=jane_doe,john_wick' \
9   --header 'content-type: application/json'
```

Subpages

When using Web Spotlight to manage your website content, you can retrieve subpages the same way as your linked items.

For example, you can have various insurance-related pages linked in multiple places on your website.

cURL

```
1 # Gets pages linking travel insurance as their subpage.
2 curl --request GET \
3   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
   elements.subpages[contains]=travel_insurance' \
4   --header 'content-type: application/json'
5
6 # Gets pages linking at least travel insurance, car insurance, or both as their subpage.
7 curl --request GET \
8   --url 'https://deliver.kontent.ai/<YOUR_PROJECT_ID>/items?
   elements.subpages[any]=travel_insurance,car_insurance' \
9   --header 'content-type: application/json'
```

What's next?

- Build your app on solid foundations and [best practices on getting content](#).
- When you get the right items, it's time to [resolve and render your content](#).
- Take a deep dive into API reference with the [Delivery REST API filters](#) and [Delivery GraphQL API filters](#).